OPENINGS IN STEEL



T T T		
1 10.10		
	u	

...

0%0%0	0%0%0
	1

SZ	









000	



	1		

	R	×
		Ĩ
	1	1
		1

Openings in Steel. The Construction.



2000

STEEL

Steel Exterior

1000 Single-Layer: Steel

Get value and durability with an Amarr 1000 single-layer steel door. These heavy-duty steel doors are durable, reliable, and low maintenance.

Bottom

- Heavy-Duty Exterior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene Thermal Insulation with Vinyl Backing
- Energy Efficient
- Quiet Operation

Openings in Steel. Express your style in steel. Amarr makes it happen. Exceptional performance, low maintenance and durability, available in Amarr's six steel collections. From classic Carriage House designs to contemporary flush panels, get a striking look that stands the test of time.

- **2** CLASSICA COLLECTION[®]
- **4** OAK SUMMIT COLLECTION
- 6 HERITAGE[™] & STRATFORD[™] COLLECTIONS
- 8 FIMBEL® DESIGNER'S CHOICE & OLYMPUS COLLECTIONS
- **10** STEEL OPTIONS
- **13** STEEL SPECIFICATIONS

Amarr steel doors are built with low-maintenance, heavy-duty steel. Choose from 1000 single, 2000 double or 3000 triple-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and piece of mind you get with steel.




Double-Layer: Steel + Insulation

An Amarr 2000 double-layer door provides durable, low maintenance features, plus a layer of vinyl-coated insulation for increased thermal properties and quieter operation.

• Heavy-Duty Exterior Steel

• Durable, Reliable, Low Maintenance



3000 Triple-Layer: Steel + Insulation + Steel

For the toughest, most energy-efficient steel door, an Amarr 3000 triple-layer door includes the ultimate in thermal properties, plus a layer of steel for a finished interior look and added durability.

- Heavy-Duty Exterior and Interior Steel
- Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene or Polyurethane Thermal Insulation
- Superior Energy Efficiency
- Extra Quiet Operation

Santiago with Closed Arch (S1 painted,




CLASSICA COLLECTION®

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel. The Classica Collection of Carriage House Doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.

Tuscany with Danube Windows (T4)









Tuscany with Seine Windows (T8)

Edinburgh with Closed Square (E2)

11



Designs



Decorative Hardware

Complete Offering, page 11

Valencia with Arabesque Windows (V12)



Triple-Layer: Steel + Insulation + Steel

Bordeaux with Closed Arch (B1)

Eight unique three-section stampedsteel designs. The Classica Collection is available in 86 design variations.

Optional decorative hardware, reminiscent of authentic hardware found on original carriage houses, adds character to your door.

antiago with Rhine Windows (S7)



Alicante with Nile Windows (A6)




Oak Summit with Stockton DecraTrim (BB20)



OAK SUMMIT COLLECTION

Self-expression shouldn't cost a fortune. With Amarr's Oak Summit Collection, it won't. These durable steel doors offer an attractive carriage house look. Choose from a variety of door colors, decorative hardware, and window accents. Customize your home with Amarr's most affordable carriage house door.






Metro DecraGlass (BB64)

Cascade DecraTrim (BB23)





STEEL OAK SUMMIT COLLECTION

4

Prairie DecraTrim (BB21)

Flush Panel (FP painted)



H E R I T A G E[™] & S T R A T F O R D[™] C O L L E C T I O N S

Tradition never goes out of style. Choose from four different panel designs to create the steel garage door you always wanted. The Heritage Collection provides a heavier gauge steel, and both collections feature durable low-maintenance doors in your choice of traditional styles. The Heritage & Stratford Collections. Great looks for years to come.

Long Panel (LP)

6



Short Panel with Tempo DecraGlass (SP65)







Short Panel with Stockton DecraTrim (SP20)





Short Panel Design with W



Decorative

Choose from Craftsman L or DecraTrir coordinate v Complete Offi

Ribbed Panel (RP)

Short Panel with Heartland DecraGlass (SP60)*

r: Steel					1
er: Steel + Insulation	1				
: Steel + Insulation + Steel					
ecraTrim (LP27)		1			
	Flush Panel (FP)			
	Thas i Fance (11	,			
e & Stratford Collections le in a variety of panel					
l colors.					
Vaterford DecraTrim (SP25)					
	Short Panel wit	h Wichita DecraG	lass (SP61)		
Windows n contemporary or				7	
DecraGlass windows					
n window inserts to with your home.					1
ering, page 12				1	1

Designer's Choice with Stockton Windows



FIMBEL® DESIGNER'S CHOICE & OLYMPUS COLLECTIONS

Design and energy efficiency make Designer's Choice and Olympus doors popular models. With triple-layer construction, a thermal seal, and superior insulation with an R-value of 15.67 or 11.04, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Olympus with Wagon Wheel Windows

8




Designer's Choice with Cascade Windows



Designer's Choice with Cathedral Windows



Olympus with Stockton Windows



Designer's Choice with Prairie Windows

STEEL OPTIONS

CLASSICA COLLECTION® TOP SECTIONS

CLOSED ARCH • Available for TUSCANY (T1), SANTIAGO (S1), LUCERN (L1), VALENCIA (V1)



CLOSED SQUARE • Available for TUSCANY (T2), SANTIAGO (S2), LUCERN (L2), VALENCIA (V2)



DANUBE (4)







CLOSED ARCH • NORTHAMPTON (N1)




CLOSED SQUARE + NORTHAMPTON (N2)

CLOSED ARCH • BORDEAUX (B1)



CLOSED SQUARE • ALICANTE (A2), EDINBURGH (E2)



ARABESQUE (12)







CLOSED SQUARE • BORDEAUX (B2)



TRELLIS (13)


















11" HANDLES





11

STEEL OPTIONS



* Chalet DecraGlass windows are available for Fimbel Olympus (Short Panel) and Designer's Choice (Long Panel).

LONG PANEL

•

4

STEEL COLORS





* Hunter Green and Grav available on Stratford 3000 only.

STEEL SPECIFICATIONS

		CARR	I A G E	HOU	SE DE	SIGN		TRADITIONAL DESIGN							
	CLASSICA 1000	CLASSICA 2000	CLASSICA 3000	OAK SUMMIT 1000	OAK SUMMIT 2000	FIMBEL DC-400	FIMBEL DC-500	HERITAGE 1000	HERITAGE 2000	HERITAGE 3000*	STRATFORD 1000	STRATFORD 2000	STRATFORD 3000**	FIMBEL OLYMPUS 400	FIMBEI OLYMPU 500
PANEL DESIGNS	1	1	1	1	1			1	1	1	1	1	1		
Short								•	•	•	•	•	•	•	•
Long								•	•	•	•	•	•		
Flush								•	•	•	•	•	•		
Ribbed										•			•		
Carriage House	8 Designs	8 Designs	8 Designs	1 Design	1 Design	1 Design	1 Design								
CONSTRUCTION LAYERS															
Steel	•			•				•			•				
Steel + Insulation		•			•				•			•			
Steel + Insulation + Steel			•			•	•			•			•	•	•
DOOR THICKNESS															
1 3/8" (3.5cm)						•							•	•	
2" (5.1cm)	•	•	•	•	•		•	•	•	•	•	•			•
INSULATION		Polystyrene ¹	Polyurethane ¹		Polystyrene ¹	Polyurethane	Polyurethane		Polystyrene ¹	Polystyrene ¹		Polystyrene ¹	Polystyrene ¹	Polyurethane	Polyureth
R-VALUE/U-FACTOR		6.84/0.15	13.35/0.07		6.84/0.15	11.04/0.09	15.67/0.06		6.84/0.15	9.19/0.11		6.84/0.15	6.58/0.15	11.04/0.09	15.67/0
STEEL THICKNESS															
Gauge (ga)	24 ga	24 ga	25/27 ga	25 ga	25 ga	25/27 ga	25/27 ga	24 ga	24 ga	24/27 ga	25 ga	25 ga	27/27 ga	25/27 ga	25/27
Gauge (mm)	0.61mm	0.61mm	0.53/0.42	0.53mm	0.53mm	0.53/0.42	0.53/0.42	0.61mm	0.61mm	0.61/0.42	0.53mm	0.53mm	0.42/0.42	0.53/0.42	0.53/0
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
					-		-	-	-	-	-	-		-	
Galvanized	•	•		•	•						•	•			
				Ť			•								
Painted			, , , , , , , , , , , , , , , , , , ,			•	•		•	•					
THERMAL SEAL			-							•			•		
BOTTOM WEATHER SEAL	•	•	•			•	•	•		•	•	•	•	•	
Steel Retainer	•	•	•	•	•			•	•		•	•			
Aluminum Retainer										•			•		
Duo-Durometer Astragal						•	•							•	•
DECORATIVE WINDOW OPTIONS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
WINDOW GLASS OPTIONS															
3/32" (0.24cm) Single Strength				•	•	•	•	•	•	•	•	•	•	•	•
1/8" (0.32cm) Tempered Double Strength	•	•	•												
Insulated Glass			•			•	•			•			•	•	•
Obscure (not shown)	•	•	•	•	•			•	•	•	•	•	•		
DECORATIVE HARDWARE OPTIONS	•	•	•	•	•	•	•								
EXTERIOR COLOR OPTIONS															
True White	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Almond				•	•	•	•	•	•	•	•	•	•	•	•
Sandtone	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Brown						•	•	•	•	•			•	•	•
Hunter Green													•		
Gray													•		
WIND LOAD ² AVAILABLE	•	•	•	•	•			•	•	•	•	•	•		
WARRANTY															
Paint Finish ³	Lifetime	Lifetime	Lifetime	15 Years	25 Years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	15 Years	25 Years	Lifetime	Lifetime	Lifetin
Workmanship/Hardware ³	3 Years	5 Years	Lifetime	1 Year	2 Years	5 Years	Lifetime	3 Years	5 Years	Lifetime	1 Year	2 Years	3 Years	5 Years	Lifetin

Amarr's section interfaces are designed to reduce the risk of serious finger and hand injuries.

* Formerly WeatherGuard[™] Plus ** Formerly WeatherGuard™

doors has passed fire safety testing.

See specifications on page 13 for model availability. Actual paint colors may vary from samples shown. Amarr steel doors are pre-painted; for custom colors exterior latex paint must be used. Visit *amarr.com* for instructions on painting.



¹ All Insulation on Amarr brand

² It is your responsibility to make sure your garage door meets local building codes. ³ For complete warranty details, visit amarr.com or contact your local Amarr dealer.

NOTE: Optional door locks and various heights and widths are available thru your local garage door dealer.



GARAGE DOORS

Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in our industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering products and services that raise those standards even higher.

Visit *amarr.com* for additional products distributed by Amarr, such as Dynasty Iron Doors, garage flooring, accessories, and a full line of commercial sectional, rolling sheet, and rolling steel doors.

Your Local Amarr Dealer:

165 Carriage Court Winston-Salem, NC 27105 800.503.DOOR www.amarr.com

Amarr, Amarr Classica Collection, Classica Collection, WeatherGuard, Fimbel, and WindPro are registered trademarks of The Amarr Company, North Carolina, U.S.A. Amarr reserves the right to change specifications and designs without notice and without incurring obligations. Amarr Garage Doors are the subject of one or more pending patents and/or U.S.A. or foreign patents.



©2007 Amarr Garage Doors Printed in USA Form #6451207/100M/HA